

Chemische Fabrik Wülfel	Safety Data Sheet in accordance with Regulation (EC) No 1907/2006	State: 01/11/2021 Author: U. Köhler
	<b>Vole bait WUELFEL</b>	Version: 2.0 Page 1 of 11

## **SECTION 1: Identification of the substance/mixture and of the company /undertaking**

### **1.1. Product identifier**

**1.1.1. Trade name** Vole bait WUELFEL (Wühlmausköder WÜLFEL)

#### **1.1.2. Unique Formula Identifier (UFI)**

UFI: 9FSJ-43U9-F00K-CJ25

#### **1.1.3. Active substance**

Zinc phosphide techn.

EC No: 215-244-5

CAS No: 1314-84-7

CIPAC No.: 69

REACH Registration number: The active substance is considered in accordance with Article 15, Section 1 of Regulation (EC) No 1907/2006 as registered.

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### **1.2.1. Relevant identified uses**

##### **1.2.1.1. Use descriptor category**

Life cycle stage

PW: Widespread use by professional workers

C: Consumer use (Home garden and allotment)

Sectors of use

SU 1: Agriculture

Technical function

Plant protection product (feeding bait for controlling voles)

##### **1.2.1.2. European product categorisation system (EuPCS)**

EuPCS code:

PP-PRD-12 (Rodenticides for plant protection)

#### **1.2.2. Uses advised against**

not known

### **1.3. Details of the supplier of the safety data sheet**

Manufacturer and registration holder:

Chemische Fabrik Wülfel GmbH & Co. KG

Hildesheimer Straße 305, D-30519 Hannover, Germany

Tel.: 0049 511 98496-0, Fax: 0049 511 98406-40

E-mail address of the person responsible for

Safety Data Sheet: [cfw@wuelfel.de](mailto:cfw@wuelfel.de)

Web: [www.wuelfel.de](http://www.wuelfel.de)

### **1.4. Emergency telephone number**

Chemische Fabrik Wülfel: 0049 511 98496-0

(Office hours:

Monday - Thursday 8 o'clock a.m. to 2 o'clock p.m.)

or

Poison control centre north (Bremen, Hamburg, Lower Saxony, Schleswig-Holstein)

Tel.: 00 49 551-19 24 0 (24h emergency call)

## **SECTION 2: Hazards identification**

### **2.1. Classification of the substance or mixture**

#### **2.1.1. Classification according to Regulation (EC) No 1272/2008 (CLP Regulation)**

Acute Tox. 4, H302

Aquatic Acute 1, H400

Aquatic Chronic 1, H410

#### **2.2. Label elements**

##### **2.2.1. Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)**

Risk-determining substance for labelling: zinc phosphide (trizinc diphosphide), zinc oxide (zinc

Chemische Fabrik Wülfel	Safety Data Sheet in accordance with Regulation (EC) No 1907/2006	State: 01/11/2021 Author: U. Köhler
	<b>Vole bait WUELFEL</b>	Version: 2.0 Page 2 of 11

monoxide), zinc phosphate (trizinc bis(orthophosphate))

**Hazard pictograms**



GHS07



GHS09

**Signal word: Warning**

**Hazard statements:**

H302: Harmful if swallowed.

H410: Very toxic to aquatic life with long lasting effects.

Supplemental hazard information (EU):

EUH032: Contact with acids liberates very toxic gas.

EUH401: To avoid risks to human health and the environment, comply with the instructions for use.

**Precautionary statements:**

General:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

Prevention:

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves.

Reaction:

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

P391: Collect spillage.

Storage:

P402 + P404: Store in a dry place. Store in a closed container.

Disposal:

P501: Dispose of contents/container to proper disposal site.

**2.2.2. Standard phrases for safety precautions according Regulation (EU) No. 547/2011 (Labelling requirements for plant protection products)**

SP 1: Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).

SPe 3: To protect aquatic organisms respect an unsprayed buffer zone of 10 m to surface water bodies.

SPe 4: To protect aquatic organisms/non-target plants do not apply on impermeable surfaces such as asphalt, concrete, cobblestones, railway tracks and other situations with a high risk of run-off.

SPe 6: To protect birds/wild mammals remove spillages.

SPr 1: The baits must be securely deposited in a way so as to minimise the risk of consumption by other animals. Secure bait blocks so that they cannot be dragged away by rodents.

**2.3. Other hazards**

Vole bait WÜLFEL does not meet the PBT-/vPvB criteria of REACH Regulation, Annex XIII.

The active substance zinc phosphide contained in the bait does not have any endocrine disrupting properties according to the criteria formulated in Regulation (EU) 2018/605.

See also subsections 15.1.1., and 15.1.2.

Chemische Fabrik Wülfel	Safety Data Sheet in accordance with Regulation (EC) No 1907/2006	State: 01/11/2021 Author: U. Köhler
	<b>Vole bait WUELFEL</b>	Version: 2.0 Page 3 of 11

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

It is not a pure substance.

#### 3.2. Mixtures

Rodenticidal bait on basis of carrot pieces, impregnated with 2.4% zinc phosphide (3% zinc phosphide techn.)

Chemical characterization of the technical grade active substance and its impurities:

Active substance				
Characterization	Index No	EC No	CAS No	Content
Zn <sub>3</sub> P <sub>2</sub> zinc phosphide IUPAC: trizinc diphosphide	015-006-00-9	215-244-5	1314-84-7	≥ 80.00 % w/w
Impurities				
Characterization	Index No	EC No	CAS No	Content
ZnO zinc oxide IUPAC: zinc monoxide REACH Registration No: 01-2119463881-32	030-013-00-7	215-222-5	1314-13-2	≤ 20% w/w
Zn <sub>3</sub> (PO <sub>4</sub> ) <sub>2</sub> zinc phosphate IUPAC: trizinc bis(orthophosphate) REACH Registration No: 01-2119485044-40	030-011-00-6	231-944-3	7779-90-0	≤ 5% w/w

Chemical characterization of the feeding bait

Content of active substance: 2.4 % w/w zinc phosphide

Impurities

Zinc oxide: ≤ 0.6 % w/w

Zinc phosphate: ≤ 0.15 % w/w

Harmonised classification of the active substance and its impurities according to Annex VI, table 3, of the CLP Regulation	
Active substance/impurity	Harmonised Classification
zinc phosphide	Water-react. 1, H260 <sup>1)</sup> Acute Tox. 2 *, H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 M=100 *Minimum classification
zinc oxide	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
zinc phosphate	Aquatic Acute 1, H400 Aquatic Chronic 1, H410

<sup>1)</sup> Take notice of note T in Table 3 of Annex VI of the CLP Regulation.

The examination of zinc phosphide with the test method A.12 FLAMMABILITY (CONTACT WITH WATER) of Regulation (EC) No 440/2008 or Test N.5: Test method for

Chemische Fabrik Wülfel	Safety Data Sheet in accordance with Regulation (EC) No 1907/2006  <b>Vole bait WUELFEL</b>	State: 01/11/2021 Author: U. Köhler  Version: 2.0 Page: 4 of 11
-------------------------	---	---

substances which in contact with water emit flammable gases, Manual of Tests and Criteria, Recommendations on the transport of Dangerous Goods, sixth revised edition (ST/SG/AC.10/11/Rev.6, United Nations, New York and Geneva, 2015) not supports the specified harmonized classification.

### 3.3. Additional information

The text of H statements, which was not mentioned in this section, see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first-aid measures

#### 4.1.1. General informations

Remove all contaminated clothing.

Bring the victim to fresh air, lie down comfortably, loosen tight clothing.

#### 4.1.2. In case of eye contact

Rinse widely opened eye for several minutes under running water. Is advisable to use an eyewash. Remove contact lenses, if present and easy to do. Further treatment by an ophthalmologist.

#### 4.1.3. In case of skin contact

Brush off loose particles from skin. Affected parts of the body wash immediately with plenty of soap and water, seek medical attention if necessary.

#### 4.1.4. Following ingestion

Wash out mouth with water. Do not induce vomiting. Seek medical attention.

#### 4.1.5. Following inhalation of gases, which were released by acid

In case of poisoning caused by released hydrogen phosphide (Odour: garlic or carbide-like) bring the victim to fresh air and give artificial respiration if necessary. Absolutely call physician to accident!

#### 4.1.6. Self-protection of the First Aider

The contact with residual substance should be avoided.

### 4.2. Most important symptoms and effects, both acute and delayed

If swallowed, stomach acid is releasing hydrogen phosphide (phosphane). The poisoning symptoms can occur after a long latency period. A respiratory paralysis may occur in rare cases even after 24 hours.

### 4.3. Indication of any immediate medical attention and special treatment needed

Applies if swallowed: The vital function is to control, if necessary, perform a shock treatment, artificial respiration with respiratory failure and a one extrathoracic heart massage for cardiac arrest or ventricular fibrillation. Administer symptomatic treatment of cramp attacks, high dosage of corticoids if impending lung oedema, electrolyte balance if necessary, possibly hospitalization.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media: dry sand, carbon dioxide, fire extinguisher class C

Unsuitable extinguishing media: water, foam

### 5.2. Special hazards arising from the substance

In contact with acids forming hydrogen phosphide which can ignite.

### 5.3. Advice for fire-fighters

In closed rooms may form an explosive hydrogen phosphide/air-mixture in contact with acids. There is a respirator with B2-P2 combination filter or a self-contained breathing apparatus to apply.

Chemische Fabrik Wülfel	Safety Data Sheet in accordance with Regulation (EC) No 1907/2006	State: 01/11/2021 Author: U. Köhler
	<b>Vole bait WUELFEL</b>	Version: 2.0 Page 5 of 11

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

When handling spillages protect hands and other body parts with gloves and protective clothing.

**6.2. Environmental precautions**

Vole bait Wuelfel must not enter the sewage system or water bodies.

**6.3. Methods and material for containment and cleaning up**

The contents of leaking packages must be decant to equivalent containers.

Sweep up the spilled product and removes it mechanically. It should not be stirred up dust. Fill the product into suitable containers.

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

Follow the safety instructions in Sections 2.2.1., and 2.2.2.

**7.2. Conditions for safe storage, including any incompatibilities**

The product is stored always dry and only in the closed original package in remote locations of dwellings, in well ventilated areas, separate from foodstuffs, beverages and animal feedstocks.

Keep away from acids!

Recommended storage temperature: -5 ° C to +30 ° C.

Storage stability: 3 years

Take notice of TRGS 510 "Storage of hazardous substances in non-stationary containers"

Hints for protection against fire and explosion:

Suck the resulting dust and gases, avoid depositing of dust.

**7.3. Specific end use(s)**

Rodenticidal feeding bait.

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

None

**8.2. Exposure controls**

**8.2.1. Personal protective equipment**

**8.2.1.1. Eye / Face protection**

Not necessary

**8.2.1.2. Respiratory protection**

In compliance with the instructions of use not necessary.

**8.2.1.3. Skin protection**

Suitable protective gloves made of PVC or PE for plant protection products.

**8.2.2. General health and safety measures**

Avoid unnecessary contact with the product.

Wash hands after work, change contaminated clothing.

While using do not eat, drink or smoke.

**SECTION 9: Physical and chemical properties**

Chemische Fabrik Wülfel	Safety Data Sheet in accordance with Regulation (EC) No 1907/2006	State: 01/11/2021 Author: U. Köhler
	<b>Vole bait WUELFEL</b>	Version: 2.0 Page 6 of 11

### 9.1. Information on basic physical and chemical properties

Property	Value / Description
Physical state	Solid (cube shape)
Weight	≈ 50 mg/ cube
Colour	red-brown
Odour	carrots like
Melting point/freezing point	not determinable, as charring occurs at high temperatures
Boiling point or initial boiling point and boiling range	not determinable, as charring occurs at high temperatures
Flammability	not highly flammable according to EC test method A.10
Lower and upper explosion limit	not determined, see explanation to flammability
Flash point	not applicable, since a solid
Auto-ignition temperature	not applicable, since a stable solid
Decomposition temperature	not determined, since not relevant for use as bait
pH	not relevant, since a solid
Kinematic viscosity	not relevant, since a solid
Solubility	insoluble in water
Partition coefficient n-octanol/water (log value)	not determinable, since insoluble in water
Vapour pressure	not determined, since very low
Density and/or relative density	1.50 kg/L (at 20°C), determined according to EC test method A.3
Bulk density	0.52 kg/L (at 20 °C), determined according to CIPAC method MT 186
Relative vapour density	not determinable, since vapor pressure very low
Particle characteristics	organic matter in the form of small cubes

### 9.2. Other information

Decomposition of the active substance with acids to very toxic hydrogen phosphide (phosphane) and diphosphane (formerly called diphosphine). The latter ignites spontaneously on contact with atmospheric oxygen.

The lower explosive limit of phosphine is 1.79% by volume, the upper explosive limit at 100% vol. The ignition temperature is about 100 ° C.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reacts with acids forming the gases hydrogen phosphide (phosphane) and diphosphane. The latter ignites spontaneously on contact with the air.

### 10.2. Chemical stability

In the dry state or in a dry environment, the product is stable.

### 10.3. Possibility of hazardous reactions

See sub-section 10.1.

### 10.4. Conditions to avoid

Chemische Fabrik Wülfel	Safety Data Sheet in accordance with Regulation (EC) No 1907/2006	State: 01/11/2021 Author: U. Köhler
	<b>Vole bait WUELFEL</b>	Version: 2.0 Page 7 of 11

Contact with acids should be avoided.

#### **10.5. Incompatible materials**

Acids

#### **10.6. Hazardous decomposition products**

With acids are formed hydrogen phosphides, which are highly toxic and highly flammable. At very high temperatures, e.g. fires, may result phosphorus pentoxide which reacts with moisture or fire water to phosphoric acid.

### **SECTION 11: Toxicological information**

#### **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

##### **11.1.1. Acute toxicity**

###### **Acute oral toxicity**

LD50 (oral, rat): 355 mg/kg body weight (OECD Guideline 401)

Poisoning effect:

After oral intake, gastrointestinal pain.

The gastric acid evolved hydrogen phosphide.

Hydrogen phosphide inhibits important enzyme systems and is a powerful metabolic and nervous toxin. This can lead to death through respiratory paralysis, pulmonary edema, and collapse. Consequential damage to heart, liver and kidney dysfunction.

##### **11.1.2. Skin corrosion/irritation**

A corrosion / irritation to the skin was not observed.

##### **11.1.3. Eye damage/irritation**

A serious eye damage / irritation was not observed.

##### **11.1.4. Sensitisation to the respiratory tract /skin**

There are currently no indications to this effect.

##### **11.1.5. Germ cell mutagenicity**

There are currently no indications to this effect.

##### **11.1.6. Carcinogenicity**

There are currently no indications to this effect.

##### **11.1.7. Reproductive toxicity**

There are currently no indications to this effect.

##### **11.1.8. Specific target organ toxicity (single exposure)**

There are currently no indications to this effect.

##### **11.1.9. Specific target organ toxicity (repeated exposure)**

There are currently no indications to this effect.

##### **11.1.10. Aspiration hazard**

There are currently no indications to this effect.

#### **11.2 Information on other hazards**

No informations are available.

### **SECTION 12: Ecological information**

#### **12.1. Toxicity**

##### **12.1.1. Acute aquatic toxicity**

For the active substance zinc phosphide following values were determined (see DAR Zinc phosphide, Volume 3, Annex B, part 5, B.9, November 2009):

The LC40 (96h) value for the fish ide (*Leuciscus idus*) is 0.0217 mg/L (OECD Guideline 203 (1992)).

The EC50 (48h) value for the species *Daphnia magna* is 0.114 mg/L (OECD Guideline 202 (1984)).

Chemische Fabrik Wülfel	Safety Data Sheet in accordance with Regulation (EC) No 1907/2006	State: 01/11/2021 Author: U. Köhler
	<b>Vole bait WUELFEL</b>	Version: 2.0 Page 8 of 11

Following EC values for algae (*Desmodesmus subspicata*) were determined (OECD Guideline 201 (Alga growth inhibition test)):

ErC50 (72h) = 0.00375 mg/L

EbC50 (72h) = 0.00821 mg/L

Note: The studies were performed with the maximum attainable concentration (MAC), in which the formation of a suspension was observed.

Because of the toxicity to aquatic organisms do not contaminate ponds, waterways or ditches with chemical or used container.

Vole bait WUELFEL is also toxic to other vertebrates, fish, birds and fish food organisms.

#### **12.2. Persistence and degradability**

The oxidative degradation of zinc phosphide takes place to form harmless salts of phosphorous acid and phosphoric acid.

#### **12.3. Bioaccumulative potential**

Zinc phosphide is metabolized by oxidation in an aqueous environment to phosphates. Thus, the potential for bioaccumulation is low.

#### **12.4. Mobility in soil**

Depends on the solubility of the phosphates from the soil formed.

#### **12.5. Results of PBT and vPvB assessment**

Vole bait WUELFEL does not meet the PBT-/vPvB criteria of REACH Regulation, Annex XIII.

#### **12.6. Endocrine disrupting properties**

The active substance zinc phosphide contained in the bait does not have any endocrine disrupting properties according to the criteria formulated in Regulation (EU) 2018/605.

#### **12.7. Other adverse effects**

None

### **SECTION 13: Disposal considerations**

#### **13.1. Waste treatment methods**

Product:

In accordance with regulations for special waste disposal via authorized waste disposal contractor to a suitable approved waste disposal site. Do not contaminate drains with the rest of the product.

Give the closed original containers to the nearest hazardous waste disposal site.

Packaging:

Empty containers may not be reused and must be disposed analogous as the product.

### **SECTION 14: Transport information**

#### **14.1. UN number or ID-Number**

UN3077

#### **14.2. UN proper shipping name**

ADR/RID:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (Zinc phosphide)

IMDG-Code:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (Zinc phosphide)

ICAO-TI/IATA-DGR:

Environmentally hazardous substance, solid, n.o.s., (Zinc phosphide)

#### **14.3. Transport hazard class(es)**

9 (Miscellaneous dangerous substances and articles, including environmentally hazardous substances)



Chemische Fabrik Wülfel	Safety Data Sheet in accordance with Regulation (EC) No 1907/2006	State: 01/11/2021 Author: U. Köhler
	<b>Vole bait WUELFEL</b>	Version: 2.0 Page 9 of 11



#### 14.4. Packing group

III (Substances presenting low danger)

#### 14.5. Environmental hazards

Labelling of environmentally hazardous substance

ADR/RID/ IMDG-Code/ICAO-TI/IATA-DGR: yes (see sub-sections 2.2.1. and 12.1.)



Marine Pollutant: yes (see sub-sections 2.2.1., 12.1., and Annex III of MARPOL)

#### 14.6. Special precautions for user

Consult the sections 6-8, 10, and 12, respectively.

#### 14.7. Maritime transport in bulk according to IMO instruments

Not relevant, substance is a solid and no bulk.

#### 14.8. Additional information

ADR Tunnel restriction code (-)

The passage through all tunnels is allowed.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU regulations

Safety Data Sheet:

Regulation (EC) No 1907/2006 (REACH), Annex II (SDS) is amended by Regulation (EU) 2020/878

Classification and labelling:

Regulation (EC) No 1272/2008 (CLP (EU-GHS) Regulation

Crop protection:

Regulation (EC) No 1107/2009

Regulation (EC) No 540/2011, is amended by Regulation (EU) No 541/2011

(The active substance zinc phosphide is registered under No. 314 in the table of Part A)

Regulation (EU) No 547/2011 (Labelling requirements for plant protection products)

Seveso III

Directive 2012/18/EU

Vole bait Wuelfel: E1 (Hazardous to the Aquatic Environment in Category Chronic 1)

##### 15.1.2. Basic national regulations (Germany)

Plant Protection Act (PflSchG)

Act on the Protection Against Hazardous Substances (Chemicals Act (ChemG))

Hazardous Substances Ordinance (GefStofV)

Banned Chemicals Ordinance (ChemVerbotsV)

Act on the protection of young people in employment (JArbSchG)

Act on the protection of mothers at work, in education and in studies (MuSchG)

Ordinance on facilities for handling substances that are hazardous to water (AwSV)

Chemische Fabrik Wülfel	Safety Data Sheet in accordance with Regulation (EC) No 1907/2006	State: 01/11/2021 Author: U. Köhler
	<b>Vole bait WUELFEL</b>	Version: 2.0 Page 10 of 11

zinc phosphide (trizinc diphosphide) (identification number: 431, see database Rigoletto): Water hazard class (WGK): 3 (highly hazardous to water)  
zinc oxide (zinc monoxide) (identification number: 2187, see database Rigoletto): Water hazard class (WGK): 2 (obviously hazardous to water)  
zinc phosphate (trizinc bis(orthophosphate)) (identification number: 5067, see database Rigoletto): Water hazard class (WGK): 2 (obviously hazardous to water)  
Vole bait Wuelfel, Water hazard classes (WGK): 3 (highly hazardous to water)  
(Derivation: mass fraction of zinc phosphide (M factor: 100)  $\geq$  3%, see AwSV, Annex 1, section 5.2.1 Derivation of water hazard class 3)  
The product is registered according to §16e Chemicals Act (ChemG) at the Federal Institute for Risk Assessment (BfR).

The BfR product number is 7429273.

### 15.2. Chemical Safety Assessment

The safety information on the preparation and use of the active substance in a plant protection product in the form of a bait is presented in the DAR zinc phosphide (November 2009). This document meets all made requirements in Annex I of the REACH Regulation on the Chemical Safety Report (CSR).

## SECTION 16: Other information

### 16.1. Indication of changes to version 1.2

Complete revision of the SDS based on Regulation (EU) 2020/878.  
Changes have been made in Sections 1, 2, 9, 11, 12, 14 and 16.

### 16.2. Codes of hazard classes and hazard statements

a) hazard classes and categories in subsection 2.1.1

Acute Tox. 4 - Acute toxicity, category 4

Aquatic Acute 1 - Hazardous to the aquatic environment, acute, category 1

Aquatic Chronic 1 - Hazardous to the aquatic environment, chronic, category 1

b) Hazard statements under Regulation (EC) No 1272/2008, the text of which was not specified in section 3

H260 In contact with water releases flammable gases which may ignite spontaneously.

H300 Fatal if swallowed.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

### 16.3. Literature and sources

#### Directives and Regulations

Regulation (EC) No 1107/2009, was last amended by Regulation (EU) 2021/383

Regulation (EG) Nr. 1907/2006 (REACH), was last amended by Regulation (EU) 2021/1297

CLP (EU-GHS)-Verordnung (EG) Nr. 1272/2008, was last amended by Regulation (EU) 2021/849

Regulation (EU) No 547/2011, was last amended by Regulation (EU) No 519/2013

Directive 2012/18/EU (Seveso III)

#### Zinc phosphide

Conclusion on the peer review of the pesticide risk assessment of the active substance zinc phosphide, EFSA Journal 2010; 8(7):1671.

REACH Registration Dossier:

Zinc oxide (REACH Registration Number: 01-2119463881-32)

Zinc phosphate (REACH Registration Number: 01-2119485044-40)

### 16.4. Methods in accordance with Chapter 2, Article 9, of Regulation (EC) No 1272/2008 to assess the information that has been used for the purpose of classification

Health and environmental hazards: evaluation of animal and plant testing results (rat, fish,

Chemische Fabrik Wülfel	Safety Data Sheet in accordance with Regulation (EC) No 1907/2006	State: 01/11/2021 Author: U. Köhler
	<b>Vole bait WUELFEL</b>	Version: 2.0 Page 11 of 11

algae, daphnia).

#### 16.5. Abbreviations and acronyms

ADR	Accord européen relatif au transport international des marchandises Dangereuses par Route - European arrangements about the international transport of dangerous goods on the streets
CAS	Chemical Abstracts Service
CIPAC	Collaborative International Pesticides Analytical Council
CSR	Chemical Safety Report
DAR	Draft Assessment Report
EC	Effective concentration
EbC	Effective concentration (Biomass)
ErC	Effective concentration (Growth rate)
EFSA	European Food Safety Authority
EN	European norms
IATA-DGR	International Air Transport Association - Dangerous Goods Regulation
ICAO-TI	International Civil Aviation Organization - Technical Instructions
IMDG-Code	International Maritime Code for Dangerous Goods
IMO	International Maritime Organization
IUPAC	International Union of Pure and Applied Chemistry
IVA	Industrieverband Agrar e.V. - German Crop Protection Pest Control and Fertilizer Association (Incorporated Society)
LD	lethal dose
LC	lethal concentration
MARPOL	Maritime Pollution Convention
N.O.S.(n.o.s.)	Not otherwise specified
PBT	Persistent, Bio-accumulative, Toxic
PE	polyethylene
PVC	polyvinyl chloride
REACH	Registration, Evaluation, Authorisation of Chemicals
RID	Règlement International concerante le transport des marchandises Dangereuses par chemins de fer - Regulation for the international transport of dangerous goods in the rail transport.
UN	United Nations
TRGS	Technical Rules for Hazardous Substances
vPvB	very persistent and very bio-accumulative

#### 16.6. Further information

This information is based on our present knowledge. They do not constitute an assurance of product properties and establishes no contract legal rights.

Vole bait Wuelfel is approved by the Federal Office of Consumer Protection and Food Safety (Germany) under the number 033366-00 until 31.12.2024 as plant protection product.